
Extension Cord

TECHNICAL SPECIFICATIONS



Product introduction

Airtame offers the Extension Cord, a power extension accessory kit for the Airtame 2 power supply unit*. Included in the accessory pack is an IEC adapter for the Airtame 2 Power Supply Unit (PSU)* and an extension cord with standard regional plug.

Extending the power on the DC side of the PSU using a USB extender can cause significant power drops, increasing the probability that the Airtame 2 will not receive enough power to function properly. The Extension Cord accessory extends the power on the AC side of the PSU by using standard IEC C7/C8 connections to provide the most optimal and flexible power extension.

This accessory provides the benefit of a more flexible setup in three ways: 1) The 1.8m (approx. 6 feet) extension cord triples the reach of the power cable of the Airtame 2 Aircord. 2) Using the IEC adapter to extend the power means the PSU can be placed more freely and help get around physical constraints, e.g., lack of space behind a TV setup. 3) Achieve ultimate flexibility - if you need to extend the cable by more than the 1.8m that comes in the accessory pack, it's easy to attach the IEC(C8) adapter (included in this pack) to the Airtame PSU in order to connect a standard IEC (C7) power cable of your choice.

General specifications

Model No.	AT-IEC-EU/UK/US/OC* *Depending on region		
Included	Extension Cord* and IEC adapter (for Airtame 2 PSU)	*Regional version	
Package dimensions	5.8 x 6.4 x 13.1 cm (2.3 x 2.5 x 5.2 in)		
Package Weight	130 to 150g (0.29 to 0.331bs)*	*Depending on region	
Ambient Operating Temperature	0 to 40°C (32 to 158°F)		

^{*} Airtame 2 PSU is not included in the Airtame Extension Cord accessory

Storage Temperature	-20 to 70° C (-4 to 140°F)	
Operating Humidity	20 to 90% Non-condensing	
Warranty	Limited min. 1 year* standard	*May vary depending on region
Compliance	FCC, ISED, CE, RCM, RoHS, REACH	

IEC Adapter specifications

Connections	IEC 60320 C8 (for Extension Cord) Airtame 2 PSU adapter connection	
Compatibility	Airtame 2 Power Supply Unit*	*Not included in this accessory
Product dimensions	2.1 x 3.5 x 5.5 cm (0.8 x 1.4 x 2.2 in)	
Weight	23.4g (0.05lbs)	
Compliance	CA65	

Extension Cord specifications

Connections	Connection 1 Connection 2	IEC plug EU/UK/US/OC plug*	*Depending on region
Grounded	All regions	No	
Polarized	All regions	No	
Plug type	IEC plug EU Plug UK Plug US Plug OC Plug	IEC 60320 C7* Type C - CEE 7/16 Alternative II "Europlug" Type G - BS 1363/A* Type A - NEMA 1-15 Type I - AS/NZS 3112*	*Ungrounded variant
Dimensions (H x W x L)	IEC Plug EU Plug UK Plug US Plug OC Plug Cord	0.4 x 1.6 x 5.0 cm (0.2 x 0.6 x 2.0 in) 1.4 x 3.5 x 6.8 cm (0.6 x 1.4 x 2.7 in) 4.5 x 5.0 x 6.8 cm (1.8 x 2.0 x 2.7 in) 1.9 x 2.5 x 5.7 cm (0.7 x 1.0 x 2.0 in) Ø4.2 x 7.1 cm (Ø1.6 x 2.8 in) 1.8m (5.9 feet) + plug 5.0 - 6.8 cm (2.0 - 2.7 in)	

Generated April 2019

Technical specifications are subject to change without prior notice. Please check airtame.com for the latest information.



Dimensions plugged in (H x W x L)	IEC Plug EU Plug UK Plug US Plug OC Plug Cord	0.4 x 1.6 x 4.0 cm (0.2 x 0.6 x 1.6 in) 1.4 x 3.5 x 4.9 cm (0.6 x 1.4 x 1.9 in) 2.2 x 5.0 x 6.8 cm (0.9 x 2.0 x 2.7 in) 1.9 x 2.5 x 4.0 cm (0.7 x 1.0 x 1.6 in) Ø4.2 x 5.4 cm (Ø1.6 x 2.1 in) 1.8m (5.9 feet) + plug 4.0 - 6.8 cm (1.6 - 2.7 in)	
Weight	EU extension cord UK extension cord US extension cord OC extension cord	51g (0.11lbs) 71g (0.16lbs) 55g (0.12lbs) 71g (0.16lbs)	
Compliance	All regions	UL, CSA	

Generated April 2019

Technical specifications are subject to change without prior notice. Please check airtame.com for the latest information.

